

Page 1 of 7 CND-N-119

MSDS Revision Date: 04/01/2008 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0 1. PRODUCT IDENTIFICATION Product Name: PERFECT COLOR BOLD SCULPTING POWDERS METHACRYLATE COPOLYMER BLEND MOSAIC POWDERS: TERRA COTTA (ORANGE), SPANISH TILE (RED), QUARTZ CRYSTAL (PURPLE), JADE (GREEN), GOLDEN GLASS (YELLOW), COBALT GLASS (BLUE), BLACK, TWILIGHT, GLIMMER Perfect Color Bold Sculpting Powders: Black - Opaque; Blue - Opaque; Green -Opaque; Orange – Opaque; Purple – Opaque; Red – Opaque; Yellow – Opaque. 1.5 PROFESSIONAL OR SUNDRY USE ONLY 1.6 Distributor's Name: CREATIVE NAIL DESIGN, INC. Distributor's Address: 1125 JOSHUA WAY VISTA, CA USA 92081 Emergency Phone: CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887 1.9 (800) 833-NAIL (6245), (760) 599-2900 2. HAZARD IDENTIFICATION This product not is classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). 2.2 Routes of Entry: YES Absorption: Ingestion: YES Inhalation: Effects of Exposure: EYES: Possible irritation from dust. SKIN: Irritation. Alleraic contact dermatitis is possible with prolonged or repeated contact. INGESTION: No exposure effects are reported. INHALATION: Considered a nuisance dust. May cause irritation of the mouth, nose, throat, and lungs. 2.4 Symptoms of Overexposure: EYES: Redness & watering. SKIN: Redness, itching, drying of skin. INGESTION: No symptoms are expected. Upper respiratory irritation, including coughing & sneezing. INHALATION: Acute Health Effects: EYES: Possible irritation from dust. Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact. SKIN: INGESTION: No exposure effects are reported. Considered a nuisance dust. May cause irritation of the mouth, nose, throat, and lungs. INHALATION: 2.6 Chronic Health Effects: None known. Taraet Oraans: Eyes, skin and respiratory system. NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used. Note: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.



Page 2 of 7 CND-N-119

MSDS Revision Date: 04/01/2008 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC **OSHA** OTHER ppm ppm ppm ÉS-ES-ES-CAS No. RTECS No. EINECS No. % TLV STEL TWA STEL PEAK PEL STEL IDLH CHEMICAL NAME(S) ≤ 50.0 NE NF 9003-42-3 NΑ NE NF NF ΝE ΝĒ ΝE POLYETHYLMETHACRYLATE NA NE NF NF NE NA ≤ 50.0 NE ΝĒ NF NE METHACRYLATE COPOLYMER NA NA (5) NE NE 94-36-0 DM8575000 202-327-6 ≤ 2.0 (5)NE 5 NF NF BENZOYL PEROXIDE **ADDITIONAL INGREDIENTS: BLACK OPAQUE:** ΝF NF NF NE ΝE ΝE 12227-89-3 215-168-2 NF CI 77499 (BLACK) XR2275000 236-675-5 < 1.0 (10) ΝE NF NF NF NE ΝE ΝE DUST TITANIUM DIOXIDE 13463-67-7 **BLUE OPAQUE:** NE NF NF NF ΝE NF 215-711-3 < 3.0 NE 1345-00-2 CI 77007 (ULTRAMARINES) NF NF NE NE ΝE DUST < 0.5 (10)NE NF 13463-67-7 XR2275000 236-675-5 TITANIUM DIOXIDE GREEN OPAQUE: CI 77289 (CHROMIUM HYDROXIDE 12001-99-9 215-160-9 < 3.0 ΝE ΝE NF NF NF ΝE ΝE NE GREEN) NF NF NE ΝE NE DUST < 0.5 (10) NE XR2275000 NE TITANIUM DIOXIDE 13463-67-7 236-675-5 NF NF NE NE NF ΝE 1934-21-0 UQ6400000 217-699-5 < 0.5 ΝE NE C119140 (YELLOW 5 LAKE) **ORANGE OPAQUE:** NË NE ΝE 2783-94-0 QK4725000 220-491-7 ≤ 2.0 ΝE NE NF NF NF CI 15985 (YELLOW 6 LAKE) CI 47005 (YELLOW 10 LAKE) 8004-92-0 GC5796000 305-897-5 < 1.0 ΝĒ ΝĒ NF NF NF ΝE ΝE NE PURPLE OPAQUE: < 5.0 NF ΝE CI 77742 (MANGANESE VIOLET) 10101-66-3 233-257-4 NF NF NF NF NE DUST ΝE XR2275000 < 0.5 (10)NE ΝF NF NF NË ΝE TITANIUM DIOXIDE 13463-67-7 236-675-5 **RED OPAQUE:** < 5.0 NE NF NF NF NE NE 2379-74-0 219-63-6 ΝĒ CI 73360 (RED 30) YELLOW OPAQUE: ΝF NF ΝE NE ΝE 305-897-5 < 1.0 NF NE NF 8004-92-0 GC5796000 CI 47005 (YELLOW 10 LAKE) XR2275000 NF ΝF NE NE 13463-67-7 236-675-5 < 0.5 (10) ΝE NF ΝE TITANIUM DIOXIDE THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION BAL SIGNIFICANT ADDITIONAL HAZARDS 4. FIRST AID MEASURES First Aid: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete EYES: flushing. If irritation persists, seek immediate medical attention. Remove contaminated clothing and wash affected areas with soap and water. Wash all contaminated clothing SKIN: thoroughly before reuse. If irritation persists, seek medical attention. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for INGESTION: assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration and seek INHALATION: medical attention if adverse effects continue. Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, asthma or brenchitis.



Page 3 of 7 CND-N-119

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008 5. FIREFIGHTING MEASURES Flashpoint & Method: 579 °F (304 °C) TCC 5.2 Autoignition Temperature: NΔ Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): Fire & Explosion Hazards: NA 5.5 Extinguishing Methods: Carbon dioxide, dry chemical & water spray as authorized. Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters should wear full face, self-contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and impervious protective clothing. 6. ACCIDENTAL RELEASE MEASURES Spills: 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Spilled product should be swept or vacuumed up immediately to prevent falls. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Spilled product should be swept or vacuumed up immediately to prevent falls. Transfer to containers for proper disposal. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Use eye protection when using this product. Wash hands thoroughly after using this product and before eating, drinking, or smoking. 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Empty containers may retain residual amounts of product. Therefore, empty containers should be handled with care. The product is a fine powder, and may cause a slipping and falling hazard if spilled. Spilled product should be swept or vacuumed up immediately to prevent falls. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION General mechanical ventilation (e.g., fans) and local exhaust ventilation is recommended for use with this product. 8.2 Respirators are not required for use with this product. However, this product is a nuisance dust hazard. Product may cause irritation of the mouth, nose, throat, and lungs. Accordingly, when working with large quantities (> gallon (3.785 liters)) a dust mask is suggested. A respiratory protection program that meets OSHA's 29 CFR §1910.134 and ANSI Z88.2 requirements must be followed whenever a respirator is used. Eye Protection: As a minimum, safety glasses with side shields should be used when using this product. 8.4 None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), wear rubber or impervious plastic gloves.

المرابية المنيد فأنفتك تكدارات المشهدية بأبيريا للأعراب فيدأت



Reproductive Toxicity:

MATERIAL SAFETY DATA SHEET

Page 4 of 7 CND-N-119

MSDS Revision Date: 04/01/2008 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 8. EXPOSURE CONTROLS & PERSONAL PROTECTION - continued HEALTH No apron required when handling small quantities. **FLAMMABILITY** 0 When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving 2 -REACTIVITY large quantities of this product, wash any exposed areas thoroughly with soap and water. PROTECTIVE EQUIPMENT **EYES** 9. PHYSICAL & CHEMICAL PROPERTIES Density: NA 9.2 Boiling Point: NA Melting Point: Approximately 392 °F (200 °C) Evaporation Rate: 9.4 NA 9.5 Vápor Pressure: NA 9.6 Molecular Weight: NA Metallic or colored powder with faint bland odor. 9.7 Appearance & Color: 98 Odor Threshold: 9.9 Insoluble 9.10 NA NA 9.12 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions of use (see section 7). Hazardous Decomposition Products: 10.2 Oxides of carbon and nitrogen. 10.3 Hazardous Polymerization: Highly unlikely, but will occur if large quantity of product comes in contact with an equally large quantity of monomer. Conditions to Avoid: High heat (120°F) and proximity to monomers. (Large quantities only, e.g. > 1 gallon (3.785 liters)). Incompatible Substances: Monomer. (Large quantities only, e.g. > 1 gallon (3.785 liters)). 11. TOXICOLOGICAL INFORMATION Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document. Titanium Dioxide (CAS#13463-67-7); IARC classification: Group 2B - Possibly carcinogenic to humans. [NOTE- Applies to inhalation of raw titanium dioxide particles.] 11.2 Acute Toxicity: See section 2.5 11.3 Chronic Toxicity: See section 2.6 Suspected Carcinogen: NE This product is not reported to produce reproductive toxicity in humans 11.5 Reproductive Toxicity: This product is not reported to produce mutagenic effects in humans. Mutagenicily: This product is not reported to produce empryotoxic effects in homens. Embrychowichy: This product is not reported to produce teratogenic effects in humans. Teratogenicity: This product is not reported to produce reproductive effects in humans.



Page 5 of 7 CND-N-119

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0 MSDS Revision Date: 04/01/2008
	11. TOXICOLOGICAL INFORMATION - confinued
11.	Irritancy of Product:
11.6	See section 2.3
11.7	Biological Exposure Indices:
11.2	NE .
11.8	Physician Recommendations:
	Treat symptomatically.
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability: This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.
10.0	Effects on Plants & Animals:
12.2	There is no specific data available for this product.
12.3	Effects on Aquatic Life:
	There is no specific data available for this product.
	13. DISPOSAL CONSIDERATIONS
10.1	Waste Disposal:
13.1	Dispose of in accordance with all federal, state, and local regulations.
13.2	Special Considerations:
.0.2	
	14. TRANSPORTATION INFORMATION
That	pasic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.
Add	tional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.
14.1	49 CFR (GND):
	NOT REGULATED
14.2	IATA (AIR):
	NOT REGULATED
14.3	IMDG (OCN):
	NOT REGULATED
14.4	TDGR (Canadian GND):
245	NOT REGULATED ADR/RID (EU):
14.5	NOT REGULATED
14.6	SCT (MEXICO):
	NOT REGULATED
14.7	ADGR (AUS):
	NOT REGULATED
	15. REGULATORY INFORMATION
15.1	U.S. EPA SARA Title III Reporting Requirements:
	This product does not contain any substances with SARA reporting requirements.
15.2	U.S. EPA SARA fittle III Threshold Planning Quantity (TPQ):
	This product does not contain any substances with a SARA threshold planning quantity.
15.3	U.S. TSCA inventory Status:
15:	All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status.
15.4	U.S. CERCLA Reportable Quantity (RQ): This product does not contain any substances with a CERCLA reportable quantity.
155	Other U.S. Federal Requirements:
15.5	This product comples with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics).
ے ان مواضعا	



Page 6 of 7

CND-N-119

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

15. REGULATORY INFORMATION - continued

Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



U.S. State Regulatory Information: 15.7

No component of this mixture is listed in the California Proposition 65 Lists.

Titanium dioxide (CAS# 13463-67-7); can be found on the following state right to know lists: New Jersey, Pennsylvania, Minnesota, and

European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:

Component(s) of this product are listed in Annex I of EU Directive 67/548/EEC.

(Xn) Harmful

Titanium dioxide:

R: 21/22 Harmful if swallowed and in contact with skin


R: 40 Limited evidence of carcinogenic effect *

R: 43 May cause sensitization by skin contact

\$: 2 Keep away from children

S: 7/8 Keep container tightly closed and dry

S: 20/21 When using do not eat, drink or smoke





16. OTHER INFORMATION

WARNING: Precisely follow directions and MSDS (available through your supplier) for use. Avoid skin and eye contact. Keep out of reach of children. If redness or other signs of adverse reaction occur, discontinue use immediately and thoroughly rinse affected area, FOR PROFESSIONAL USE ONLY.

Terms & Definitions:

Please see last page of this MSDS.

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Prepared for:

Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 (760) 599-4005 fax



Hands, Feet. Beauty.

Prepared by: 16.5

ShipMate, Inc. PO Box 787

Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600

http://www.cnd.com/

Fax: +1 (310) 370-5700 e-mail: shipmate@shipmate.com



المراجع والمتاكم المراجع والمتسموني والمتشاك الثلب



Page 7 of 7

CND-N-119

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 7.0

MSDS Revision Date: 04/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number	

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
(DLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the
	body

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Siight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

A	5			
В	8	100	***	
С	&		4	
D	P		~	
	-			
E	5	•		






Safety Glasses



Splash Goagles







Gloves

Vapor Respirator








Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.


FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
Į.	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explade or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

Not Available
No Results
Not Established
Not Determined
Maximum Limit
Self-Contained Breathing Apparatus





TOXICOLOGICAL INFORMATION:

, LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TDio	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TDto, LDta, & LDo or	Lowest dose (or concentration) to cause lethal or toxic
TC, TC., LCI., & LC.	effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
1¢	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

		F - 20 II	•	A	.		
С	E	F	N	0	Ţ÷	Xi	Xn
Согтоѕі́vе	Explosive	Flammable	Harmful	Oxidizing	foxic	initant	Harmful

WHMIS INFORMATION:

0					®	0	R
A	В	C	D1	D2	D3	E	F
Compressed	flammable	Oxidizing	Toxic	Initation	Infectious	Сатазіче	Reactive