

Page 1 of 7 **CND-N-032**

Prep	oared to OSHA,	ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Stand	ards	MSDS Revision: 5.0	MSI	OS Revision Date: 05/0	1/2007
		1 22001101		ALTIPIOATION			
	1. PRODUCT IDENTIFICATION						
1.1	Product Name:						
	SOLARNA	AIL LIQUID					
1.2	Chemical Name:			9			
		CRYLATE SOLUTION					
1.3	Synonyms:						
	NA	Wash and the second of the sec					
1,4	Trade Names: SOLARNAIL LIC	OHID					
1.5	Product Use:	GOID					
1.0	PROFESSIONA	L USE ONLY					
1.6	Distributor's Name						
	CREATIVE NAI	IL DESIGN, INC.					
1.7	Distributor's Addre						
		WAY, VISTA, CA USA 92081			·		
1.8	Emergency Phone					a.	
		<u>: +1 (800) 424-9300 / +1 (703) 527-3887</u>					
1.9	Business Phone:	(6245), 760-599-2900					
	800-833-NAIL	(8243), 780-377-2700					
		2. HAZARD	IDEN	TIEICATION			·····
2, 1	11		IDEN	TIFICATION		**************************************	
2.1	Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC and ADG Code (Australia). Flammable liquid.						
2.2	Routes of Entry:	Inhalation:	YES	Absorption:	YES	Ingestion:	YES
2.3	Effects of Exposure		1123	(Absorption:] 123	I ingestion.	1123
	INGESTION:	If product is swallowed, may cause nausea, vo	miting	and/or diarrhea and ce	ntral nerv	ous system depression	n.
	EYES:	Moderately irritating to the eyes. Symptoms of	overex	cosure may include red	iness, itch	ing, irritation and wat	ering.
	SKIN: May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated skin exposure.						
l	INHALATION:	Vapors of this product may be moderately in	ritating	to the nose, throat an			
		Symptoms of overexposure can include cough	ning, w	heezing, nasal congesti	on, and o	difficulty breathing. Ir	nhalation of
		concentrated vapors can cause central nervou	is syste	em depression (e.g., dro	wsiness, c	izziness, headaches, i	nausea).
2.4	Symptoms of Over-	·	ina an	d watering			·
	EYES: SKIN:	Overexposure in eyes may cause redness, itchi Symptoms of skin overexposure may include re	_	~	i affacta	d aroas. The product	.an .a
	SKIN.	allergic skin reactions (e.g., rashes, welts, derm				•	cun cuose
2.5	Acute Health Effec	rts;					
	EYES:	Moderate irritation to eyes near affected areas.					
	SKIN:	Moderate irritation to skin near affected areas					
		High concentrations of vapors can cause drows	iness,	dizziness, headaches ar	d naused	1.	
2.6	Chronic Health Eife	ecis:					
27	None known.						
2.7	Target Organs:	spiratory system.					
NA =		ND = Not Determined; NE = Not Established; C =	Ceilina	Limit: See Section 16 fo	r Addition	nal Definitions of Terms	s Used
		guired information is included. It is located in app					
		<u> </u>					



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MATERIAL SAFETY DATA SHEET

MSDS Revision: 5.0

Page 2 of 7 CND-N-032

MSDS Revision Date: 05/01/2007

3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH - ppm OSHA - ppm **OTHER** STEL IDLH TIV STEL PEL **EINECS No.** % CAS No. RTECS No. ppm CHEMICAL NAME(S) ppm ppm ppm ppm OZ4550000 202-597-5 97-63-2 ΝE ≤ 90.0 (15)NE (10)NE ETHYL METHACRYLATE 203-653-1 109-17-1 OZ4000000 METHACRYLATE MONOMERS ≤ 10.0 ΝĒ ΝE NE NE NE XU5803000 202-805-4 99-97-8 ≤ 2.0 ΝĒ NE NE NE NE DIMETHYLTOLYLAMINE OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION RAI THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS 4. FIRST AID MEASURES First Aid: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local INGESTION: emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close EYES: eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the SKIN: affected area with plenty of soap and water. Do not wear contaminated clothing until after it has been properly cleaned. If irritation, redness or swelling persists, consult a physician immediately. INHALATION: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration and seek immediate medical attention. Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: 23 °C (74 °F) TCC Autoignition Temperature: ND Flammability Limits: Lower Explosive Limit (LEL): NE Upper Explosive Limit (UEL): Fire & Explosion Hazards: This product is a flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO₂, NO_x). Extinguishing Methods: Water, Foam, CO₂, Dry Chemical Firefighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service. Avoid extinguishing methods that may generate dust clouds.



Page 3 of 7 CND-N-032

MSDS Revision Date: 05/01/2007 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 5.0 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggies, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid prolonged contact with this material in its liquid form. Limit inhalation of the vapors generated by this product. Use in a wellventilated location (e.g., local exhaust ventilation, tans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product. Storage & Handling: 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. Keep away from children at all times! Special Precautions: Local exhaust ventilation is recommended. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard 794.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon), wear nitrile, rubber or other impervious gloves. **HEALTH** 2 8.5 **Body Protection:** No apron required when handling small quantities. 3 **FLAMMABILITY** When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large REACTIVITY 1 quantities of this product, wash any exposed areas thoroughly with soap and water. PROTECTIVE EQUIPMENT A **EYES**



Page 4 of 7 CND-N-032

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	1.01 Calculated
7.2	Boiling Point:	101 °C Calculated
2.3	Melting Point:	< -75 °C Calculated
.4	Evaporation Rate:	
.5	Vapor Pressure:	NE NE
.5 .6	Molecular Weight:	NE NE
	· · · · · · · · · · · · · · · · · · ·	NE Clara and and the wind with the properties and as
7	Appearance & Color: Odor Threshold:	Clear, colorless liquid with an acrylic odor.
.8		NE CU-Life and help
.9	Solubility:	Slightly soluble.
10	pH	NA
.11	Viscosity:	NE .
.12	Other Information:	Vapor density = 3.9 (Air = 1) Calculated
_	******	10 CTABLITY O BEACTIVITY
		10. STABILITY & REACTIVITY
0.1	Stability:	Relatively stable under ambient conditions when stored properly.
0.2	Hazardous Decomposition Products:	If exposed to <u>extremely high temperatures</u> , products of thermal decomposition may include irritatin vapors and toxic gases (e.g., oxides of carbon & nitrogen).
0.3	Hazardous Polymerization:	May occur with quantities > 1 gallon.
),4	Conditions to Avoid:	Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, spark flame.
0.5	Incompatible Substances:	Strong oxidizers, peroxides or strong acids.
	· · · · · · · · · · · · · · · · · · ·	11. TOXICOLOGICAL INFORMATION
1,1	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology date for the components of this product, which are found in the scientific literature. These data have no been presented in this document.
1.2	Acute Taxishr	
<u> </u>	Acute Toxicity:	See section 2.5
.3	Chronic Toxicity:	No long term health effects are known.
.4	Suspected Carcinogen:	NE This product is not reported to produce reproductive toxicity in humans.
1.5	Reproductive Toxicity: Mutagenicity:	This product is not reported to produce mutagenic effects in humans. However, animal mutatio
	Molagariacity.	data available for certain components of this product were obtained during clinical studies o
		specific animal tissues exposed to high doses of those components.
	Embryatoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
.6	Irritancy of Product:	See section 2.3
.7	8iological Exposure Indices:	NE
.8	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
2.1	Environmental Stability:	This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.
2.2	Effects on Plants & Animals:	There is no specific data available for this product.
	Effects on Aquatic Life:	There is no specific data available for this product. Releases of large volumes may be harmful or



Page 5 of 7 CND-N-032

MSDS Revision Date: 05/01/2007 MSDS Revision: 5.0 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose in accordance with local, state and Federal hazardous waste laws. U.S. EPA Characteristic Waste: D001 (ignitable) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. CONSUMER COMMODITY, ORM-D (≤ 5.0 L) ORM-D UN 1993, FLAMMABLE LIQUID, N.O.S. (ethyl methacrylate, stabilized), 3, iii (> 5.0 L) CONSUMER COMMODITY, 9, ID8000 (≤ 0.5 L) UN1993, FLAMMABLE LIQUID, N.O.S. (ethyl methacrytate, stabilized), 3, III, LTD QTY (> 0.5 L, \leq 5.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (ethyl methacrylate, stabilized), 3, III (> 5.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (ethyl methacrylate, stabilized), 3, III, LTD QTY (≤ 5.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (ethyl methacrylate, stabilized), 3, III (> 5.0 L) MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 5.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (ethyl methacrylate, stabilized), 3, (II (> 5.0 L) ADR/RID (EU): UN1993 FLAMMABLE LIQUID, N.O.S. (ethyl methacrylate, stabilized), 3, III, ADR, LTD QTY (> 0.5 L, \leq 5.0 L) SCT (MEXICO): UN1993, LIQUIDOS INFLAMABLES, N.E.P. (ethyl methacrylate, stabilized),3, III, CANTIDAD LIMITADA (≤5.0 L) 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: SARA 304 (Ethyl Methacrylate) SARA Threshold Planning Quantity: 15.2 15.3 TSCA Inventory Status: All components of this product are listed in the ISCA Inventory or are exempt. CERCLA Reportable Quantity (RQ): 15.4 Ethyl Methacrylate: 1000 lbs. 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid. State Regulatory Information: 15.7 Ethyl methacrylate is covered under specific state criteria. No components of this mixture are listed in the California Proposition 65 Lists. 67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. Ethyl Methacrylate: Flammable, Irritant (F, Xi), R: 11-36/37/38-43 - Highly flammable, Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. S: 2-9-16-29-33 — Keep out the reach of children. Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Do not empty into drains. Take precautionary measures against static discharges.



310-370-3600 phone 310-370-5700 fax

http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 6 of 7 CND-N-032

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 5.0 MSDS Revision Date: 05/01/2007 16. OTHER INFORMATION Other Information: WARNING: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. Use only in a well ventilated area. A ventilation system that expels vapors to the outdoors is recommended. Poisonous if swallowed! Keep out of reach of children. FLAMMABLE! Keep away from heat or flame. In case of emergency, contact your physician or local Poison Control Center immediately. FOR PROFESSIONAL USE ONLY. Terms & Definitions: See last page of this MSDS. 16.3 Disclaimen This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA 800-833-NAIL (6245) phone Hands, Feet, Beauty. 760-599-2900 760-599-4005 fax http://www.cnd.com/ Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504

Fraining & Consulting



Page 7 of 7

CND-N-032

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 5.0

MSDS Revision Date: 05/01/2007

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV Threshold Limit Value	
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDTH	immediately Dangerous to Life and Health

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person	
CPR	whose heart has stopped receives manual chest compressions	
	and breathing to circulate blood and provide oxygen to the	

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A	8			
В	8			
c	B		4	
D			4	
E	8			
F	B	(A)	1	





















Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition: source
, UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ASSREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-₩-	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LDso	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TDio	Lowest dose to cause a symptom			
TCLo TCLo	TCLo Lowest concentration to cause a symptom			
TD ₁₀ , LD ₁₀ , & LD ₀ or	Lowest dose (or concentration) to cause lethal or toxic			
TC, TCo, LCio, & LCo	effects			
IARC	International Agency for Research on Cancer			
NTP	NTP National Toxicology Program			
RTECS Registry of Toxic Effects of Chemical Substances				
BCF Bioconcentration Factor				
TL _m	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	DOT U.S. Department of Transportation	
TC	Fransport Canada	
EPA	U.S. Environmental Protection Agency	
D\$L	DSL Canadian Domestic Substance List	
NDSL Canadian Non-Domestic Substance List		
PSL Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act	
EU European Union (European Union Directive 67/548/EEC)		
CPR	CPR Canada's Controlled Product Regulations	

EC INFORMATION:

		ė,	7	30			
С	Ε	F	N	0	T+	Χi	Χn
Corrosive	Explosive	flammable	Harmful	Oxídizing	Toxic	(mitant	Harmful

WHMIS INFORMATION:

\bigcirc				1	®		R
Α	B	C _.	D1	D2	D3	ш	F
Compressed	Flammable	Oxidizing	Toxic	initation	Infectious	Corrosive	Reactive