



Page 1 of 7 **CND-N-130**

Pre	epared to OSHA	, ACC, ANSI, NOHSC, WHI	MIS & 2001/58 EC Sto	andards	MSDS Revision: 1.0	MS	DS Revision Date: 10	0/01/2008
			1. PRODU	CT IDE	NTIFICATION			
1.1	Product Name:	······································						
	SPAMAN	ICURE - ALMOND	ILLUMINATIN	G MAS	QUE FOR THE H	ANDS		
1.2	Chemical Name				ACTION (IIIZ)	,		
	Botanical oil	mixture						
1.3	Synonyms:							
		e Almond Illuminating Ma	sque for the Hands	·				
1.4	īrade Names:	• 31 314						
		icure Almond Illui	minating Mas	que fo	r the Hands			
1.5	Product Use:							
1.5	Distributorr's Nam							
1.0	i	IL DESIGN, INC.						
1.7	Distributor's Addi							
	ì	WAY, VISTA, CA USA 920	81					
1.8	Emergency Phon							
	CHEMTREC	: +1 (800) 424-9300 /	+1 (703) 527-38	87				
1.9	Business Phone:							
	(800) 833-NA	IL (6245), (760) 599-2900						
			2. HAZARI	DIDEN	TIFICATION			
2.I	Hazard Identificat	ion:	· · · · · · · · · · · · · · · · · · ·					
	This product NOHSC:1088	is NOT classified as a HA (2004) and ADG Code (Au	AZARDOUS SUBSTAN Istralia).	CE or as	DANGEROUS GOODS	according	to the classification	on criteria of
2.2	Routes of Entry:		Inhalation:	NO	Absorption:	NO	Ingestion:	YES
2.3	Effects of Exposure							
	INGESTION:	if product is swallowed, :		vomiting	and/or diarrhea.			
	EYES:	Mildly to moderately irrit						
	SKIN:	May be irritating to skin i	n some sensitive ind	ividuals,	especially after prolon	ged contac	:t.	
	INHALATION:	Inhalation is unlikely.						
2.4	Symptoms of Over	exposure:						W
	EYES:	Symptoms of overexposu	re mav include red	ness. itch	ina. irritation and wate	rina (if in ev	/es)	
	SKIN:	Symptoms of overexposu				(0)	<i>C3</i> /.	
2.5	Acute Health Effec							
	INGESTION:	May cause excessive bo	wel movements foll	owing ing	estion.			
	EYES:	Redness, itching, initation						
	SKIN:	Redness, itching and irrita	ation of the skin at th	e site of	contact for some sensit	ive individu	jais.	
2.6	Chronic Health Effe							
2.7		alth effects are known.						
£./	Target Organs: Eyes, skin.							
	=,00, 30011.		· · · · · · · · · · · · · · · · · · ·					
 NA =	: Not Available:	ND = Not Determined; NE	- Not Established	NIE - NI-+	Savinda C - California	tt- C C		
of Te	rms Used. Note	: All WHMIS required inform	nation is included. I	t is locate	: outia, C = Celling Lim :d în appropriate sectic	ii, see sect ons based c	ion 16 for Additions on the ANSI 7400 1-2	ai Definitions 2004 format



Page 2 of 7 CND-N-130

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 10/01/2008

	1		·	Т.									
							EXPOS			AIR (I			· · · · · · · · · · · · · · · · · · ·
						GIH		NOHS	<u> </u>		OSHA	·	
					Pi	mc	ES-	ppm ES-	ES-		ppm	T	OTHE
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
MINERAL OIL	8042-47-5	PY8047000	232-455-8	≤ 45.0	NA	NA	NF	NF	NF	NA	NA	NA	
HELIANTHUS ANNUS (SUNFLOWER) SEED OIL	164250-88-8	NA	NA	≤ 20.0	NA	NA	NF	NF	NF	NA	NA	NÁ	
ISONONYL ISONONANOATE	42131-25-9	NA	261-6965-2	≤ 15.0	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLENE/PROPYLENE/STYRENE COPOLYMER	66070-58-4	NA	NA	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL	8007-69-0	NA	273-313-5	≤ 10.0	NA	NA	NF	NF	NF	NΑ	NA	NA	
SEED OIL	61789-91-1	NY9262700	289-964-3	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
OLETH-5	9004-98-2	NA	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYSORBATE 60	9005-67-8	WG2934000	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHICONE	9006-65-9	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA.	
RAGRANCE (PARFUM)	NA	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLENE/ETHYLENE/STYRENE COPOLYMER	NA	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
OCOPHERYL ACETATE	58-97-7	GP8280000	200-405-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TANIUM DIOXIDE	13463-67-7	XR2275000	236-675-5	< 1.0	(10)	NA	(10)	NF	NF	(10)	NA	NA	
OTHER COMPONENTS PRESENT IN LES	S THAN 1% CO	NCENTRATIO	N	BAL	THE REA	AAININ CANT A	G CON	PONE	NTS DC	NOT	CONT	RIBUTE	ANY

Α	FIRST	AID	MEA	CHDE	c

First Aid:

INGESTION:

DO NOT INDUCE VOMITING. Contact Chemīrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

EYES:

If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s)

to ensure thorough irrigation. If irritation persists, consult a physician.

SKIN:

If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. Do not wear contaminated clothing until after it has been properly cleaned. If irritation persists, consult a

physician.

INHALATION: Remove victim to fresh air at once. Medical Conditions Aggravated by Exposure:

None known.



Page 3 of 7 CND-N-130

Bro	Dorod to OSIA, A CC, ANGLAIOUS G WILLIAM & 2004 (FO FO Charles)			
rie	epared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1	.0 MSDS Kev	vision Date: 10/01,	/2008
	5. FIREFIGHTING MEASURES			
5.1	Flashpoint & Method:			
	Non-flammable			
5.2	Autoignition Temperature:			
	NA .	····		
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA	Upper Explosive L	_imit (UEL):	NA
5.4	Fire & Explosion Hazards:			
5.5	This product is not flammable. Extinguishing Methods:			A
بين	Water, Foam, CO₂ or Dry Chemical as authorized.		(0, /	0
5,6	Firefighting Procedures: Normal firefighting procedures require self-contained breathing apparatus with prote hostile fire.	ctive gear for any		Y
	6. ACCIDENTAL RELEASE MEASUR	RES		
6.1	Spills:			
	Before cleaning any spill or leak, individuals involved in spill cleanup must wear approp			
	For small spills (e.g., <1 gallon (3.785 liters)) wear appropriate personal protective ventilation (open doors and windows). Remove spilled material with absorbent container(s) for disposal. Dispose of property in accordance with local, state and te outside of container with plenty of warm water and soap. Remove any contaminated of	t material and placederal regulations. W	ce into appropria	ate closed
	For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Transfer Remove contaminated clothing promptly and wash affected skin areas with soap and municipal sewers and open bodies of water.	material to containe	ers for recovery o	or disposal.
	7. HANDLING & STORAGE INFORMA	ATION		
7.1	Work & Hygiene Practices:			
7.2	Follow normal hygiene practices. Do not eat, drink or smoke while handling product. Storage & Handling:			
1.2	Use and store in a cool, dry location. Keep away from excessive and direct sunlight. Section 10. Do not store in damaged or unmarked containers or storage devices. Keep	Keep away from inco	ompatible materic	als listed in
7.3	Special Precautions:		men norm coc.	
	Spilled material may present a slipping hazard if left unattended. Clean all spills prompt	tly.		
	8. EXPOSURE CONTROLS & PERSONAL PR	OTECTION		
8.1	Ventilation & Engineering Controls:			
	General mechanical (e.g., local exhaust ventilation, fans) or natural ventilation is sufficient	ent when this produc	t is in use.	
3.2	Respiratory Protection:			
3.3	None required. Eye Protection:			
3	None required. Avoid eye contact. When handling large quantities (e.g., ≥ 1 gallor should be used.	n (3.785 liters)), safet	ty glasses with sir	de shields
3.4	Hand Protection:			
	None required under normal conditions of use. When handling large quantities (e impervious plastic gloves.	a.g., ≥ 1 gallon (3.7)	85 liters)), wear	rubber or
3.5	Body Protection:	HEALTH	5 (i) 2	0
	No apron required when handling small quantities.			
	When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and	FLAMMABILIT	Y	0
	deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and	REACTIVITY		0
	water.	PROTECTIVE I	COIIIDAAENIT	
	·	PROJECTIVE	- GOILIMEIAI	



Page 4 of 7 **CND-N-130**

		O DUVELCAL A CUELLOAL DE CAPACITA
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	0.86-0.90
9.2	Boiling Point:	NA NA
9.3	Meiting Point:	NA
9.4	Evaporation Rate:	NA .
9.5	Vapor Pressure;	NA
9.6	Malecular Weight;	NA NA
9.7	Appearance & Color:	Gold pearlescent, semi-viscous oil with almond fragrance
9.8	Odor Threshold:	NA NA
9.9	Solubility:	Partially soluble in water
9.10	aH	NA
9.11	Viscosity:	· · · · · · · · · · · · · · · · · · ·
9.12	Other Information:	2,000,000 -30,000 cPs
7.14	Siller III GITTARON.	NA NA
		A B B A B I I I I I I I I I I I I I I I
	<u> </u>	10. STABILITY & REACTIVITY
10.1	Stability:	Stable under ambient conditions.
10.2	Hazardous Decomposition Products:	NA
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Exposure or contact with extreme temperatures, direct sunlight or incompatible materials.
10.5	Incompatible Substances:	Strong oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Taxicity Data:	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document. Titanium Dioxide (CAS No. 13463-67-7); IARC classification: Group 2B Possibly carcinogenic to humans. [NOTE – Applies to inhalation of raw titanium dioxide particles.]
1.2	Acute Toxicity:	See section 2.5
1.3	Chronic Toxicity:	See section 2.6
1.4	Suspected Carcinogen:	No
1.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mulagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicily:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
1.6	Irritancy of Product:	See section 2.3
1.7	3iological Exposure Indices:	NE
1.8	Physician Recommendations:	Treat symptomatically.
	· · · · · · · · · · · · · · · · · · ·	



Page 5 of 7 CND-N-130

Pre	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 10/01/2008
<u> </u>	
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:
	This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.
12.2	Effects on Plants & Animals:
	There is no specific data available for this product.
12.3	Effects on Aquatic Life:
	Releases of large volumes may be harmful or tatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this MSDS.
	die dydiable, but die not presented in mis MSDS.
	13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:
	Dispose in accordance with Federal, state, and local regulations.
13.2	Special Considerations:
	NA
	14. TRANSPORTATION INFORMATION
The	basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. itional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.
14.1	49 CFR (GND):
	NOT REGULATED
14.2	IATA (AIR):
	NOT REGULATED
14.3	MDG (OCN):
	NOT REGULATED
14,4	TDGR (Canadian GND):
	NOT REGULATED
14.5	ADR/RID (EU):
14.6	NOT REGULATED SCT (MEXICO):
14.0	NOT REGULATED
14.7	ADGR (AUS):
	NOT REGULATED
	15. REGULATORY INFORMATION
15.1	U.S. EPA SARA Title III Reporting Requirements:
	NA .
15.2	U.S. EPA SARA little III Threshold Planning Quantity (TPQ):
	NA .
15.3	U.S. ISCA Inventory Status:
	All components of this product are listed in the TSCA inventory.
- 1	U.S. CERCLA Reportable Quantity (RQ):
5.5	There are no Reportable Quantities for any of the components of this product. Other U.S. Federal Requirements:
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
5.6	Other Canadian Regulations:
	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of
-	the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
	U.S. State Regulatory Information:
	Titanium dioxide (CAS No. 13463-67-7); can be found on the following state right to know lists: New Jersey, Pennsylvania, Minnesota, and Massachusetts.
	No component of this mixture is listed in the California Proposition 65 Lists.



Fax: +1 (310) 370-5700

e-mail: shipmate@shipmate.com

MATERIAL SAFETY DATA SHEET

Page 6 of 7 CND-N-130

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 10/01/2008 15. REGULATORY INFORMATION - continued European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements: The primary component of this product is not listed in Annex Lof EU Directive 67/548/EEC. (Xn) Harmful. R: 43 - Limited evidence of carcinogenic effect.* S: 2-7/8-20/21 - Keep away from children. Keep container tightly closed and dry. When using do not eat, drink or smoke. *Applies to inhalation of raw titanium dioxide particles. The primary components of this product are not listed as Hazardous Components with the Australian Government, Australian Safety and Compensation Council, (HSIS). 16. OTHER INFORMATION Other Information: WARNING: Use only as directed. Discontinue use immediately if irritation develops. 15.2 Terms & Definitions: Please see last page of this MSDS. Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 Hands, Feet, Beauty. (760) 599-4005 fax http://www.cnd.com/ 16.5 Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600

Dangerous Goods

Training & Consulting



Page 7 of 7

CND-N-130

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 10/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number	
EXPOSURE HA	ITS IN AID-	

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the
	body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







Vapor Respirator









970

Full Face



Hood/Mask or

Dust & Vapor Respirator Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.


FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
NET	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignifion source

OTHER STANDARD ABBREVIATIONS:

NA.	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

HAZARD RATINGS: 0 Minimal Hazard 1 Slight Hazard 2 Moderate Hazard 3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK | Alkaline COR Corrosive Use No Water OX Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s								
LC ₃₀	Lethal concentration (gases) which kills 50% of the exposed animal								
mqq	Concentration expressed in parts of material per million parts								
TD ₁₀	Lowest dose to cause a symptom								
TCLo	Lowest concentration to cause a symptom								
TD _{to} , LD _{to} , & LD _a or TC, TC _o , LC _{la} , & LC _o	Lowest dose (or concentration) to cause lethal or toxic effects								
IARC	International Agency for Research on Cancer								
NTP	National Toxicology Program								
RTECS	Registry of Toxic Effects of Chemical Substances								
BCF	Bioconcentration Factor								
TLm	Median threshold fimit								
log Kow or log Koc	Coefficient of Oil/Water Distribution								

REGULATORY INFORMATION:

SIWHW	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canada's Controlled Product Regulations

EC INFORMATION:

7		N.	Ž	ð	36	*	23
С	E	F	N	0	T+	Χi	Χn
Corrosive	Explosive	Flammable	Harmíul	Oxidizing	l'oxic	luitant	Harmfui

WHMIS INFORMATION:

	3		®	(T)	1		R
Α	8	С	D1	D2	D3	E	F
Compressed	flammable	Oxidizing	Toxic	irritation	Infectious	Corrosive	Reactive