


Page 1 of 7 **CND-N-036**

Prep	pared to OSHA,	ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards	MSDS Revision: 8.0	MSDS Revision Date: 06/01/2008				
		1. PRODUCT IDE	NTIFICATION					
1.1	Product Name:							
1.,	SPEEDBOND**M							
	<u> </u>	ND						
1.2	Chemical Name: CYANOACRY	ATE MINTIDE						
1.3	Synonyms:	LATE MIXTURE						
1.0	SPEEDBOND®							
1.4	Trade Names:	, , , , , , , , , , , , , , , , , , ,						
,,,		andTM Fact cat Nail Adhasiva	,					
		ond™ - Fast-set Nail Adhesive						
1.5	Product Use:							
-		L OR SUNDRY USE ONLY						
1.6	Distributor's Name							
1.7	Distributor's Addre	L DESIGN, INC.						
1.7		WAY, VISTA, CA USA 92081	•					
1.8	Emergency Phone							
	CHEMTREC	: +1 (800) 424-9300 / +1 (703) 527-3887						
1.9	Business Phone:							
	(800) 833-NAI	l (6245), (760) 599-2900						
	<u> </u>							
		2. HAZARD IDEN	TIFICATION					
2.1	Hazard Identificati							
	This product NOHSC:1088 (is classified as a HAZARDOUS SUBSTANCE and as 2004) and ADG Code (Australia).	DANGEROUS GOODS acc	ording to the classification criteria of				
2.2	Routes of Entry:	Inhalation: YES	Absorption:	YES Ingestion: YES				
2.3	Effects of Exposure							
	INGESTION:	If product is swallowed, may cause nausea, vomiting						
	EYES:	Eye irritant. Vapor of this product may be mildly to r include redness, itching, irritation and watering.	noderately irritating to the	eyes. Symptoms of overexposure may				
	SKIN:	Warning! This product will bond skin instantly. May prolonged or repeated skin contact.	be irritating to skin in som	e sensitive individuals, especially after				
	INHALATION:	Vapors of this product may be slightly irritating to	the nose, throat and of	her tissues of the respiratory system.				
		Symptoms of overexposure can include coughing, w	heezing, nasal congestion	, and difficulty breathing. Inhalation of				
		high concentrations of vapors can cause central ne	ervous system depression (e.g., drowsiness, dizziness, headaches,				
		nausea).						
2.4	Symptoms of Over	exposure: Eve irritant. Overexposure of vapor in eyes may caus	e redness itching and wat	ering				
		Bonds skin instantly. Symptoms of skin overexposure		-				
	SKIN:	initation of affected areas.	e in some sensitive married	indy moleculations, norming, and				
	INHALATION:	Symptoms of overexposure can include coughing, wi	heezina, nasal conaestion.	and difficulty breathing.				
2.5	Acute Health Effec							
	EYES:	Vapors of this product may be mildly to moderate	ly initating to the eyes an	d mucous membranes. Symptoms of				
		overexposure may include redness, itching, irritation and watering.						
	SKIN:	SKIN: Mild to moderate irritation to skin near affected areas.						
	INHALATION:	High concentrations of vapors can cause drowsiness,	dizziness, headaches and	navsea.				
2.6	Chronic Health Effe	ects:						
	None known.							
2.7	Target Organs:							
	Eyes, skin & re	spiratory system.						
NA =	Not Available:	ND = Not Determined; NE = Not Established; NF = Not	Found; C = Ceiling Limit; S	ee Section 16 for Additional Definitions				
of Te	erms Used. Note	: All WHMIS required information is included. It is locate	ea in appropriate sections	Juseu on the Airst 2400.1-2004 format.				





Page 2 of 7

CND-N-036

MSDS Revision Date: 06/01/2008 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 8.0 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC OSHA OTHER ppm ppm ppm ES-ES-ES-% RTECS No. EINECS No. TLV STEL **TWA** STEL PEAK PEL STEL **IDLH** CAS No. CHEMICAL NAME(S) NF 230-391-5 NF NF NE 7085-85-0 UD3330050 > 95.0 2 NE NE NE ETHYL CYANOACRYLATE BUTYLATED HYDROXYANISOLE 246-563-8 NF NF NF NE NE NE 25013-16-5 \$11945000 ≤ 0.2 NE ΝE (BHA) 4. FIRST AID MEASURES First Aid: 4.1 DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local INGESTION: emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. This product will polymerize rapidly adhering to the mouth. This product bonds skin immediately. Do not pull. Peel slowly using acetone or CND Remove (use lukewarm water only SKIN: for product removal, if skin bonding has occurred near the eyes). If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician. Do not try to open the eye. Flush with cool water for at least 15 minutes. Contact a physician immediately. Cry EYES: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration and seek INHALATION: immediate medical attention. Medical Conditions Aggravated by Exposure: 4.2 None known. 5. FIREFIGHTING MEASURES Flashpoint & Method: 5. ì 176 - 200°F °F (80-93.3 °C), TCC 52 Autoignition Temperature: ~905°F Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND Flammability Limits: 5.3 Fire & Explosion Hazards: Rapid polymerization may occur at very high temperatures. Extinguishing Methods: 5.5 CO₂, Halon or Dry Chemical, as authorized. 5.6 Firefighting Procedures: When involved in a fire, this product will ignite readily and decompose to produce oxides of carbon and nitrogen and hydrogen cyanide. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. HAZCHEM CODE 2[Z].



Page 3 of 7 CND-N-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 8.0 MSDS Revision Date: 06/01/2008 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Transfer to containers for recovery or for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid prolonged or repeated skin contact. Avoid breathing vapors of this product. Use eye protection when using this product. Do not eat, drink or smoke while handling product. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Do not store with or near eye drops. Special Precautions: 7.3 Do not store with or near eye drops. This product bonds skin immediately. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: 8.1 Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans). 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.3 Eye Protection: Use eye protection when using any amount of this product. This product is irritating to the eyes. 8.4 Hand Protection: Warning! This product will bond skin instantly. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.5 2 HEALTH No apron required when handling small quantities. FLAMMABILITY 1 When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving 2 REACTIVITY large quantities of this product, wash any exposed areas thoroughly with soap and water. PROTECTIVE EQUIPMENT Α **EYES**



Page 4 of 7 CND-N-036

	pared to OSHA, ACC, ANSI				
		9. PHYSICAL & CHEMICAL PROPERTIES			
)	Density:	~1.05			
2	Boiling Paint:	> 300 °F (> 148.8 °C)			
3	Melting Point:	ND			
	Evaporation Rate:	ND			
	Vapor Pressure:	< 0.2 mm Hg @ 75 °F (23.8 °C)			
	Molecular Weight:	NA			
	Appearance & Color:	Clear liquid with sharp irritating odor.			
	Odor Threshold:	1-2 ppm			
-	Solubility:	Polymerizes in the presence of water.			
)	pH	NA NA			
, 	Viscosity:	45 cp			
_	Other Information:				
2	Office insommation.	Vapor density ~3 (air = 1). Percent volatile, by volume: Less than 20g/l (California SCAQ <d 316b)<="" method="" td=""></d>			
		Percent voldtile, by volume: Less than 200/1 (California 3CAQCD Method 3165)			
		10. STABILITY & REACTIVITY			
 I	Stability:				
		onditions when stored properly (see Section 7, Storage and Handling).			
2	Hazardous Decomposition Produ	ucts:			
10.2 Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors an gases and hydrogen cyanide (e.g., CO, CO ₂ .HCN).					
3	Hazardous Polymerization: May occur, if exposed to extremely high temperatures or exposed to moisture. Rapid polymerization will occur in the presence of water, amines, alkalis and alcohol.				
1	Conditions to Avoid:	ia dicoro.			
•		vith extreme temperatures, strong light sources or incompatible materials.			
5	Incompatible Substances:				
	This product is incompati strong bases (e.g., lye, p	tible with strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids otassium hydroxide). Polymerization initiators: water, amines, alkali and alcohol.			
		11. TOXICOLOGICAL INFORMATION			
	Toxicity Data:	Th. Toxicological international control in the cont			
'	This product has not be	en tested on animals to obtain toxicological data. There are toxicology data for the components of d in the scientific literature. These data have not been presented in this document.			
2	Acute Toxicity:	I illie sciennic illeidide. Illeic dala lave lo. Been presented illiano december			
-	See section 2.5				
-	Chronic Toxicity:				
	See section 2.6				
_	Suspected Carcinogen:				
	YES, Butylated Hydroxya	nisole: California: carcinogen, initial date 1/1/90. NTP: Suspect carcinogen. iARC: Group 2B carcinogen.			
	Reproductive Toxicity:				
	This product is not reported to cause reproductive toxicity in humans.				
		This product is not reported to produce mutagenic effects in humans.			
	Mutagenicity:				
	Mutagenicity: Embryotoxicity;	This product is not reported to produce embryotoxic effects in humans.			
		This product is not reported to cause teratogenic effects in humans.			
	Embryotoxicity:				
	Embryoloxicity: Teratogenicity:	This product is not reported to cause teratogenic effects in humans.			
5	Embryoloxicity: Teratogenicity: Reproductive Toxicity:	This product is not reported to cause teratogenic effects in humans.			
5	Embryoloxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: See section 2.3 Biological Exposure Indices:	This product is not reported to cause teratogenic effects in humans.			
6	Embryoloxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: See section 2.3 Biological Exposure Indices: NE	This product is not reported to cause teratogenic effects in humans.			
5	Embryoloxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: See section 2.3 Biological Exposure Indices:	This product is not reported to cause teratogenic effects in humans.			



Page 5 of 7 CND-N-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 8.0 MSDS Revision Date: 06/01/2008 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds. Effects on Plants & Animals: 122 There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13.1 Waste disposal must be in accordance with federal, state, and local regulations. Cured material can be disposed of as non hazardous waste. Special Considerations: 13.2 NΑ 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR. 14.1 49 CFR (GND): **NOT REGULATED** IATA (AIRI: 14.2 UN3334, AVIATION REGULATED LIQUID, N.O.S. (ETHYL CYANOACRYLATE); 9 (500 ml max. per package) IMDG (OCN): 14.3 NOT REGULATED TDGR (Canadian GND): 14.4 NOT REGULATED 14.5 ADR/RID (EU): άδοσοδο **NOT REGULATED** 14.6 SCT (MEXICO): **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 U.S. EPA SARA Title III Reporting Requirements: NA U.S. EPA SARA Title III Threshold Planning Quantity (TPQ): 15.2 NA U.S. TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory. U.S. CERCLA Reportable Quantity (RQ): 15.4 NA Other U.S. Federal Requirements: 15.5 Clean Air Act This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depletors. Clean Water Act None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA. **OSHA** None of the chemicals in this product are considered highly hazardous by OSHA. This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



Page 6 of 7 CND-N-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards | MSDS Revision: 8.0

MSDS Revision Date: 06/01/2008

15. REGULATORY INFORMATION - continued

15.7 U.S. State Regulatory Information:

Ethyl Cyanoacrylate can be found on the following state right to know list: New Jersey and Massachusetts.

Butylated Hydroxyanisole Can be found on the following state right to know lists: California, Minnesota, and Massachusetts. WARNING: This product contains Butylated hydroxyanisole, a chemical known to the state of California to cause cancer. California No Significant Risk Level: None of the chemicals in this product are listed.

No component of this mixture is listed in the California Proposition 65 Lists.

European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:

The primary components of this product are not listed in Annex 1 of EU Directive 67/548/EEC.

Ethyl Cyanoacrylate: Irritant (Xi). R: 36/37/38-43 - Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. S: 24/25-26-46 - Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If swallowed, seek medical advice immediately and show this MSDS or container label.

Butylated Hydroxyanisole: (Xi) irritant (N) Environmental hazard. R: 10-38-43-50/53 Flammable, Irritating to skin. May cause sensitization by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S: 24-37 Avoid contact with skin. Wear suitable protective gloves.





HAZCHEM CODE 2[7].

16. OTHER INFORMATION

Other Information:

WARNING: Do not store near eye drops. Eye irritant. If eye contact occurs, flush immediately with water and GET MEDICAL ATTENTION, Bonds skin Instantly. If skin bonds, DO NOT PULL; peel apart gently using acetone or CND Remove. Do not store near eye drops. KEEP OUT OF REACH OF CHILDREN. For Professional Use Only.

Terms & Definitions:

Please see last page of this MSDS.

16.3

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition

Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA

(800) 833-NAIL (6245) (760) 599-2900 phone

(760) 599-4005 fax

http://www.cnd.com/

Prepared by:

ShipMate, Inc. PO Box 787

Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700

e-mail: shipmate@shipmate.com

Hands, Feet, Beauty.



Dangerous Goods Traditing & Consulting



Page 7 of 7

CND-N-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 8.0

MSDS Revision Date: 06/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
CVBACHDELI	AITC IAI AIG.

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value	
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest compressions
	and breathing to circulate blood and provide oxygen to the
	body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A	B			
В	8	•		
C	8	\	*	
D		•	*	
E	6			
F	B		~ \	

	G	B		9 <u>0</u>	
-	н			4	000
-	ì	B		300	
	J				₩
	к		•	个	L
	х	Consult for spec	your su lai han	pervisor o dling dire	or S.O.P. ections.



Splash Goagles

Dust & Vapor

Resolvator





Synthetic Apron





Vapor Respirator

Respirator Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume splils or releases of product.

FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL.	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR	No Results	
NE	Not Established	
ND	Not Determined	
ML	Maximum Limit	
SCBA	Self-Contained Breathing Apparatus	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
.1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩-	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

. 1D ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s		
LC _{so}	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm Concentration expressed in parts of material per million			
TD _{io}	Lowest dose to cause a symptom		
TÇLo	Lowest concentration to cause a symptom		
TDio, LDio, & LDo Of	Lowest dose (or concentration) to cause tethal or toxic		
TC, TC,, LC,, & LC,	effects		
IARC	International Agency for Research on Cancer		
NTP	P National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	MIS Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
CPR	Canada's Controlled Product Regulations					

EC INFORMATION:

	Œ	W	12	ð	.		
Ç	£	F	N	0	Ţ+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Initant	Harmful

WHMIS INFORMATION:

0	®	(b)	®	1	®		R
Α	В	С	D1	D2	D3	E	F
Compressed	flammable	Oxldizing	Toxic	Irritation	Infectious	Corrosive	Reactive