Form# RA.010-02 Issue date: 08/30/01 Revision date: 02/12/03

## MATERIAL SAFETY DATA SHEET

MA	ADDRESS:	ZOTOS INTERNAT 100 TOKENEKE RO DARIEN, CT 06820	,				
	PHONE:	(203) 656-7859 MONDAY THRU F EMERGENCY NO	`		/		
	Prepared: 01/16/01		Current	Current MSDS Update: 03/07/03			
SEC	CTION I. MATER	CIAL IDENTIFICATION	)N				
A.	MATERIAL TYPE: Warm and Gentle Perm Thermolizer – Part I						
SEC	CTION II. INGRE	DIENTS					
Water (Aqua) Ascorbic Acid			Monoethanolamine Sulfite				
SEC	CTION III. PHYS	ICAL DATA (APPEA	RANCE)				
A.		CONTAINER:				No X	
B.	TYPE CONTAI	NER(S): PL	ASTIC BOTTLE	<u>X</u>	GLASS	BOTTLE	
	вох _	METAL CAN _	OTHER:				
C.	DESCRIPTION	: CLEAR LIQUID	_ LIQU	ID EMULSI	ON _	FRAGRANCED	
	CLOUDY LIQUID X CREAM OTHER:						
	ODOR:						

EYE CONTACT:

Form# RA.010-02 Issue date: 08/30/01 Revision date: 02/12/03

Wai	rm and Gentle Perm Thermolizer – Part I						
SEC	CTION IV. FIRE AND EXPLOSION DATA						
A.	FLAMMABLE _ COMBUSTIBLE _ NEITHER _X						
B.	FLASH POINT: NOT APPLICABLE X						
C.	CONTENTS UNDER PRESSURE: YES _ NO _X						
D.	EXTINGUISHING MEDIA: WATER X ABC ALL PURPOSE EXTINGUISHER X						
E.	CO <sub>2</sub> X OTHER:  SPECIAL FIRE FIGHTING PROCEDURES:						
F.	EXPLOSIVE: YES _ NO _X						
SEC	CTION V. REACTIVITY DATA						
A.	STABLE: YES X NO						
B.	HAZARDOUS DECOMPOSITION PRODUCTS: Contaminated product generates oxygen gas. Pressure in container may build up to dangerous levels.						
C.	INCOMPATIBLE WITH:						
D.	SPECIAL CONDITIONS TO AVOID: METAL BOWLS AND STIRRERS, HIGH TEMPERATURES						
E.	CORROSIVE: YES _ NO _X						
SEC	CTION VI. HEALTH HAZARDS INFORMATION						
A.	ACCIDENTAL INGESTIONS: Toxic (Rating = 2) Source: Clinical Toxicology of Commercial Products - Gosselin et. al. & Historical Data						
	- Call physician or Poison Control Center immediately.						
B.	EFFECTS OF EXPOSURE: Rarely presents a problem when used according to directions.						
	See instructions accompanying product						
C.	FIRST AID: If reaction to product does not subside quickly (in a few minutes) consult physician or emergency room immediately.						

Flush with copious amounts of water immediately. If reaction persists, consult

physician or eye doctor or emergency room immediately.

Form# RA.010-02 Issue date: 08/30/01 Revision date: 02/12/03

## Warm and Gentle Perm Thermolizer - Part I

See instructions accompanying product.

D.

SKIN CONTACT: Flush with water. In the unlikely event a skin reaction such as rashes or swelling should occur, consult a dermatologist or other physician. RESPIRATORY: Reaction not expected. If unusual symptoms develop, discontinue exposure and consult physician or emergency room immediately. SECTION VII. SPILL, LEAK, AND DISPOSAL PROCEDURES SPILLS, LEAKS: Small spills-Wipe up excess product. Wash floors with water. Large spills-Should be collected in suitable container. Wash floors with water. DISPOSAL: Disposal should be in accordance with all applicable local, state and federal regulations. SECTION VIII. SPECIAL PROTECTION INFORMATION 1. NONE: 2. GLOVES: X 3. SEE INSTRUCTIONS ACCOMPANYING PRODUCTS: X SECTION IX. PRECAUTIONS AND COMMENTS STORAGE & HANDLING INFORMATION: Store in dry area at normal temperatures. Avoid storing at high A. temperature or near heat source. Avoid freezing temperatures. B. Special Storage required: Yes \_ No X C. DOT Class: Exempt X Red Label \_\_ Consumer Commodity ORM-D Oxidizer