

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

C4907 Series

Product use Inkjet printing

Version # 06

Revision date 18-Oct-2012
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *1-(2-hydroxyethyl)-2-pyrrolidone*

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Alkoxy ether phosphate

Contact with skin may result in severe irritation.

Cyan pigment

Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Eye contact *1-(2-hydroxyethyl)-2-pyrrolidone*

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Alkoxy ether phosphate

Contact with eyes may result in irritation.

Cyan pigment

Contact with eyes may result in irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Material name: C4907 Series MSDS US

Inhalation *1-(2-hydroxyethyl)-2-pyrrolidone*

Inhalation may result in respiratory irritation.

2-pyrrolidone

Inhalation may result in respiratory irritation.

Aliphatic diol

Inhalation may result in respiratory irritation.

Alkoxy ether phosphate

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion *1-(2-hydroxyethyl)-2-pyrrolidone*

Ingestion may result in nausea, vomiting and diarrhea.

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkoxy ether phosphate

Irritating to mouth, throat, and stomach.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3.	Composition /	Information on 1	Ingredients
----	---------------	------------------	-------------

Components	CAS #	Percent
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10
2-pyrrolidone	616-45-5	< 7.5
Aliphatic diol	Proprietary	< 5
Alkoxy ether phosphate	Proprietary	< 2
Cyan pigment	Proprietary	< 3
Tetraethylene glycol	112-60-7	< 5
Water	7732-18-5	> 70

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.Ingestion If ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. Fire Fighting Measures

Flammable propertiesCombustion generates toxic fumes of fluoride and/or fluorine compounds; phosphorus oxides.

Material name: C4907 Series

MSDS US

A 2 / 6

Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Specific methods

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion

products

Refer to section 10.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containmentDike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines Exposure limits have not been established for this product.

Engineering controls Use in a well ventilated area.

Personal protective equipment

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance Not available.

Color Cvan

Odor Not available.
Odor threshold Not available.
Physical state Liquid

Form Not available.

pH 8.7

Melting pointNot available.Freezing pointNot available.Boiling pointNot determined

Flash point 230 °F (110 °C) Setaflash Closed Tester US EPA Method 1020

Evaporation rateNot determined **Flammability limits in air,**Not available.

upper, % by volume

Flammability limits in air, lower, % by volume

Not determined

Vapor pressureNot determinedVapor densityNot available.

Specific gravity 1

Relative density

Solubility (water)

Auto-ignition temperature

Decomposition temperature

Not available.

Not determined

Not available.

Viscosity 3 cP

Material name: C4907 Series

MSDS US

VOC < 307 g/l

Other information For other VOC regulatory data/information see section 15.

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides

of phosphorus. hydrogen fluoride fluorinated hydrocarbons

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity This product has not been tested for ecological effects.

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

ΤΔΤΔ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulationsUS TSCA 12(b): Does not contain listed chemicals.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

None

Material name: C4907 Series MSDS US

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 No

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

NO

Section 311 hazardous

No

chemical

State regulations

US. Massachusetts RTK - Substance List

2-pyrrolidone (CAS 616-45-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

2-pyrrolidone (CAS 616-45-5)

Listed.

US. Rhode Island RTK

Not regulated.

Regulatory information

The components of this product are reported in the following inventories: United States of America, European Union, Switzerland, Canada, Australia, Philippines, Korea, New Zealand and China.

Other information

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments). VOC content (less water, less exempt compounds) = <1184 g/L (U.S. requirement, not for

emissions).

VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 18-Oct-2012

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Alternate Trade Names

On Physical & Chamical Proportion Other information

Physical & Chemical Properties: Other information
 Regulatory Information: Regulatory information
 Regulatory Information: Other information

Material name: C4907 Series MSDS U

 Manufacturer information
 Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C4907 Series MSDS US