C8766 Series[C]-MSDS_US-English-07.pdf

C8766 Series[M]-MSDS_US-English-06.pdf

C8766 Series[Y]-MSDS_US-English-06.pdf



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

C8766 Series[C]

Product use Inkjet printing

Version # 06

Revision date 13-Dec-2012
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *1,5-pentanediol*

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Eye contact *1,5-pentanediol*

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Inhalation *2-pyrrolidone*

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Material name: C8766 Series[C]

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

| Components | CAS # | Percent |
|-------------------------------------|-------------|---------|
| 1,5-pentanediol | 111-29-5 | < 10 |
| 2-pyrrolidone | 616-45-5 | < 7.5 |
| Alkyldiol ethoxylate | Proprietary | < 2.5 |
| Ethyl alkyldiol | Proprietary | < 7.5 |
| Metal nitrate # 2 | Proprietary | < 5 |
| Substituted phthalocyanine salt # 4 | Proprietary | < 5 |
| Water | 7732-18-5 | > 60 |

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

InhalationMove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. Fire Fighting Measures

Flammable properties None known.

Extinguishing media

Suitable extinguishing For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

media

None known.

Specific methodsNone established. **Hazardous combustion**Refer to section 10.

products

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Material name: C8766 Series[C] MSDS US

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines Exposure limits have not been established for this product.

Engineering controls Use in a well ventilated area.

Personal protective equipment

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance Not available.

Color Cyan

Odor Not available.
Odor threshold Not available.

Physical state Liquid

Form Not available.

pH 6.2

Melting pointNot available.Freezing pointNot available.Boiling pointNot determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

Evaporation rate
Flammability limits in air,

upper, % by volume

Not available.

Not determined

Flammability limits in air, lower, % by volume

Not determined

Vapor pressureNot determinedVapor densityNot available.

Specific gravity 1

Relative densityNot available.Solubility (water)Soluble in waterAuto-ignition temperatureNot available.Decomposition temperatureNot available.

Viscosity 2 cp **VOC** < 221 q/L

Other information For other VOC regulatory data/information see section 15.

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Material name: C8766 Series[C] MSDS US

Possibility of hazardous reactions

Will not occur.

11. Toxicological Information

Serious eye damage/eye

Further information

Not available.

irritation

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows = < 400 mg/L

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 No

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

Nο

Material name: C8766 Series[C] MSDS US

4/6

Section 311 hazardous No

chemical
State regulations

US. Massachusetts RTK - Substance List

2-pyrrolidone (CAS 616-45-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

2-pyrrolidone (CAS 616-45-5) Listed.

US. Rhode Island RTK

Not regulated.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated

Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments). VOC content (less water, less exempt compounds) = < 697 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

5/6

may not meet regulatory requirements in other countries.

Issue date 13-Dec-2012

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C8766 Series[C] MSDS US

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C8766 Series[C]



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

C8766 Series[M]

Product use Inkjet printing

Version # 06

Revision date 14-Dec-2012
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *1,5-pentanediol*

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Eye contact *1,5-pentanediol*

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt # 11

Contact with eyes may result in irritation.

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Material name: C8766 Series[M]

Ingestion *2-pyrrolidone*

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity None

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

| 5. composition / 2oat.o on 2g. carento | | |
|--|-------------|---------|
| Components | CAS # | Percent |
| 1,5-pentanediol | 111-29-5 | < 10 |
| 2-pyrrolidone | 616-45-5 | < 7.5 |
| Alkyldiol ethoxylate | Proprietary | < 2.5 |
| Ethyl alkyldiol | Proprietary | < 10 |
| Metal nitrate # 2 | Proprietary | < 5 |
| Substituted naphthalenesulfonate salt # 11 | Proprietary | < 5 |
| Water | 7732-18-5 | > 60 |
| | | |

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. Fire Fighting Measures

Flammable properties None known.

Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

media

Unsuitable extinguishing

media

None known.

Specific methodsNone established. **Hazardous combustion**Refer to section 10.

products

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Material name: C8766 Series[M]

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines None established.

Engineering controls Use in a well ventilated area.

Personal protective equipment

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance Not available. Color Magenta Odor Not available. Not available. **Odor threshold**

Physical state Liquid

Form Not available.

6.2 рH

Melting point Not available. Freezing point Not available. **Boiling point** Not determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Flammability limits in air, upper, % by volume

Not determined Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined Not available. Vapor density

Specific gravity 1

Relative density Not available. Solubility (water) Soluble in water **Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

Viscosity 2 cp VOC < 221 g/L

Other information For other VOC regulatory data/information see section 15.

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Material name: C8766 Series[M] MSDS US **Possibility of hazardous** reactions

Will not occur.

11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

Further information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows = < 400 mg/L

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 No

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

Section 311 hazardous No

chemical

Material name: C8766 Series[M]

State regulations

US. Massachusetts RTK - Substance List

2-pyrrolidone (CAS 616-45-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

2-pyrrolidone (CAS 616-45-5) Listed.

US. Rhode Island RTK

Not regulated.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information VOC content (less water, less exempt compounds) = < 674 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 14-Dec-2012

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C8766 Series[M] MSDS US

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA**

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C8766 Series[M] MSDS US 6/6



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

C8766 Series[Y]

Product use Inkjet printing

Version # 06

Revision date 15-Dec-2012
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *1,5-pentanediol*

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Substituted naphthalenesulfonate salt # 13

Contact with skin may result in irritation.

Eye contact *1,5-pentanediol*

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt # 13

Contact with eyes may result in irritation.

Material name: C8766 Series[Y]

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation. Substituted naphthalenesulfonate salt # 13 Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

| Components | CAS # | Percent |
|--|-------------|---------|
| 1,5-pentanediol | 111-29-5 | < 10 |
| 2-pyrrolidone | 616-45-5 | < 7.5 |
| Alkyldiol ethoxylate | Proprietary | < 2.5 |
| Ethyl alkyldiol | Proprietary | < 10 |
| Metal nitrate # 2 | Proprietary | < 5 |
| Substituted naphthalenesulfonate salt # 13 | Proprietary | < 7.5 |
| Water | 7732-18-5 | > 60 |

Composition comments

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Remove to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. Fire Fighting Measures

Flammable properties None known.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Specific methods None established. **Hazardous combustion** Refer to section 10.

products

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines None established.

Engineering controls Use in a well ventilated area.

Personal protective equipment

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance Not available.

Yellow Color

Odor Not available. **Odor threshold** Not available.

Physical state Liquid

Form Not available.

6.2 рH

Not available. **Melting point** Freezing point Not available. **Boiling point** Not determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

Not determined **Evaporation rate** Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air, lower, % by volume

Not determined

Not determined Vapor pressure Vapor density Not available.

Specific gravity

Relative density Not available. Solubility (water) Soluble in water Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Viscosity 2 cp VOC < 221 g/L

Other information For other VOC regulatory data/information see section 15.

Material name: C8766 Series[Y] 8925 Version #: 06 Revision date: 15-Dec-2012 Print date: 15-Dec-2012 3/6

MSDS US

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows =< 400 mg/L

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US TSCA 12(b): Does not contain listed chemicals.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

silical code italii

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 No hazardous chemical

Material name: C8766 Series[Y] MSDS US

4/6

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

No.

chemical

State regulations

US. Massachusetts RTK - Substance List

2-pyrrolidone (CAS 616-45-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

2-pyrrolidone (CAS 616-45-5) Listed.

US. Rhode Island RTK

Not regulated.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information VOC content (less water, less exempt compounds) = < 663 q/L (U.S. requirement, not for

emissions) VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

DisclaimerThis Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 15-Dec-2012

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C8766 Series[Y] MSDS US

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C8766 Series[Y]