CC643 Series[Y]-MSDS\_US-English-16.pdf

CC643 Series[C]-MSDS\_US-English-02.pdf

CC643 Series[M]-MSDS\_US-English-03.pdf

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

**Identification of the** 

preparation

CC643 Series[Y]

**Product use** Inkjet printing

Version # 11

**Revision date** 28-Jan-2013 CAS# Mixture

**Company identification Hewlett-Packard Company** 

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1.5-pentanediol

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Yellow Colorant

Contact with skin may result in irritation.

Eye contact 1.5-pentanediol

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Yellow Colorant

Contact with eyes may result in irritation.

Inhalation Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Yellow Colorant

Inhalation may result in respiratory irritation.

**Ingestion** Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Material name: CC643 Series[Y] MSDS US 1/5

**Potential health effects** 

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition	/ Information	on Ingredients
----------------	---------------	----------------

Components	CAS #	Percent
1,5-pentanediol	111-29-5	< 15
Aliphatic diol	Proprietary	< 15
Metal nitrate # 2	Proprietary	< 5
Water	7732-18-5	> 60
Yellow Colorant	Proprietary	< 7.5

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

## 4. First Aid Measures

First aid procedures

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

General advice No additional information

## 5. Fire Fighting Measures

Flammable properties None known.

**Extinguishing media** 

Suitable extinguishing

media

CO2, water, dry chemical, or foam

**Unsuitable extinguishing** 

media

None known.

Specific methods

None established.

**Hazardous combustion** 

products

Refer to section 10.

## 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand **Methods for containment** 

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

# 7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Material name: CC643 Series[Y] MSDS US

#### **Storage**

# 8. Exposure Controls / Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

Personal protective equipment

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

## 9. Physical & Chemical Properties

**Appearance** Not available. Yellow Color Odor Not available. **Odor threshold** Not available.

**Physical state** Liauid **Form** liquid 7.2 - 7.4pН **Melting point** Not available. Freezing point Not available. **Boiling point** Not determined

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Flammability limits in air, upper, % by volume

Not determined Not available.

Flammability limits in air,

Not determined

lower, % by volume

Not determined Vapor pressure Vapor density Not available. Specific gravity 1 - 1.2

Not available. Relative density Solubility (water) Soluble in water Not determined **Auto-ignition temperature Decomposition temperature** Not available.

**Viscosity** 2 ср VOC < 241 g/l

Other information For other VOC regulatory data/information see section 15.

# 10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

## 11. Toxicological Information

**Toxicological information** 

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Serious eye damage/eye

irritation

Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Material name: CC643 Series[Y] MSDS US

# 12. Ecological Information

**Aquatic toxicity** LC50/96h/Fathead minnows =434 mg/L

> Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport Information

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

# 15. Regulatory Information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

**DEA Exempt Chemical Mixtures Code Number** 

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number** 

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA (Superfund) reportable quantity** 

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely No

hazardous substance

**Section 311 hazardous** No

chemical

State regulations

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

Not regulated.

**US. Pennsylvania RTK - Hazardous Substances** 

Not regulated.

Material name: CC643 Series[Y] MSDS US

## **US. Rhode Island RTK**

Not regulated.

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

**Other information** VOC content (less water, less exempt compounds) = < 986 g/L (U.S. requirement, not for

emissions).

VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**HMIS**® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 28-Jan-2013

**Manufacturer information** Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

**Explanation of abbreviations** 

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

PEL Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CC643 Series[Y] MSDS US

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

**Identification of the** 

preparation

CC643 Series[C]

**Product use** Inkjet printing

Version # 02

Revision date 28-Jan-2013
CAS # Mixture

**Company identification** Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

Causes skin irritation.

**Acute health effects** 

Any potential hazards are presumed to be due to exposure to the components.

**Skin contact** *1-(2-hydroxyethyl)-2-pyrrolidone* 

Contact with skin may result in irritation.

1,5-pentanediol

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Cyan Pigment

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

**Eye contact** *1-(2-hydroxyethyl)-2-pyrrolidone* 

Contact with eyes may result in irritation.

1,5-pentanediol

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Cyan Pigment

Contact with eyes may result in irritation.

Risk of serious damage to eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Material name: CC643 Series[C] MSDS US

Inhalation 1-(2-hydroxyethyl)-2-pyrrolidone

Inhalation may result in respiratory irritation.

Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Ingestion 1-(2-hydroxyethyl)-2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

# 3. Composition / Information on Ingredients

Components	CAS#	Percent
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 5
1,5-pentanediol	111-29-5	< 7.5
Aliphatic diol	Proprietary	< 5
Cyan Pigment	Proprietary	< 5
Ethyl alkyldiol	Proprietary	< 10
Metal nitrate # 2	Proprietary	< 5
Water	7732-18-5	> 65

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

## 4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

**General advice** No additional information

## 5. Fire Fighting Measures

Flammable properties None known.

**Extinguishing media** 

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

media

**Unsuitable extinguishing** 

None known.

media

**Specific methods** None established.

Material name: CC643 Series[C] MSDS US **Hazardous combustion** products

Refer to section 10.

## 6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. **Environmental precautions** 

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

# 7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. Exposure Controls / Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

Personal protective equipment

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

# 9. Physical & Chemical Properties

**Appearance** Liquid. Color Cyan

Not available. Odor **Odor threshold** Not available.

**Physical state** Liquid

Not available. **Form** 7 - 7.5 pН **Melting point** Not available. Freezing point Not available.

**Boiling point** Not determined

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Flammability limits in air, upper, % by volume

Not determined Not available.

Flammability limits in air,

Not Determined

lower, % by volume

Not determined Vapor pressure Vapor density Not available. Specific gravity Not determined Not available. Relative density Solubility (water) Soluble in water **Auto-ignition temperature** Not Determined Not available. **Decomposition temperature** VOC < 307 g/l

Other information For other VOC regulatory data/information see section 15.

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

Material name: CC643 Series[C] MSDS US **Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

# 11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

**Further information** 

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# 12. Ecological Information

**Ecotoxicity** Information given is based on data on the components and the ecotoxicology of similar products

Aquatic toxicity Not established.

EC50/72h/algae => 100gm/LEC50/48h/daphnia => 100gm/L

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

## 14. Transport Information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

**DOT** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

## 15. Regulatory Information

**US TSCA** 12(b): Does not contain listed chemicals.

**DEA Exempt Chemical Mixtures Code Number** 

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

ennicai code ivui

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## **CERCLA (Superfund) reportable quantity**

None

Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200** No

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

No

Material name: CC643 Series[C]

Section 311 hazardous No

chemical

State regulations

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

Not regulated.

**US. Pennsylvania RTK - Hazardous Substances** 

Not regulated.

**US. Rhode Island RTK** 

Not regulated.

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

**Other information** VOC content (less water, less exempt compounds) = <1109 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**HMIS® ratings** Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Issue date** 28-Jan-2013

This data sheet contains changes from the previous version in section(s):

Composition / Information on Ingredients: Disclosure Overrides

9. Physical & Chemical Properties: Other information

Ecological Information: Ecotoxicity
12. Ecological Information: Ecotoxicity
12. Ecological Information: Aquatic toxicity
15. Regulatory Information: Other information

**Manufacturer information** Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CC643 Series[C] MSDS US

5/6

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CC643 Series[C] MSDS US

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Identification of the

preparation

CC643 Series[M]

**Product use** Inkjet printing

Version # 02

**Revision date** 28-Jan-2013 **CAS #** Mixture

**Company identification** Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Causes skin irritation.

**Acute health effects** 

Any potential hazards are presumed to be due to exposure to the components.

**Skin contact** *1,5-pentanediol* 

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Magenta Colorant

Contact with skin may result in irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

**Eye contact** *1,5-pentanediol* 

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Magenta Colorant

Contact with eyes may cause irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

**Inhalation** Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Material name: CC643 Series[M]

MSDS US

**Ingestion** *Metal nitrate # 2* 

Contains nitrate salts, may cause methemoglobinemia.

**Potential health effects** 

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity None of the

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

# 3. Composition / Information on Ingredients

Components	CAS#	Percent
1,5-pentanediol	111-29-5	< 5
Aliphatic diol	Proprietary	< 15
Ethyl alkyldiol	Proprietary	< 5
Magenta Colorant	Proprietary	< 10
Metal nitrate # 2	Proprietary	< 5
Water	7732-18-5	> 65

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

#### 4. First Aid Measures

First aid procedures

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

General advice No additional information

## 5. Fire Fighting Measures

Flammable properties None known.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Specific methods None established.

Hazardous combustion Refer to section 10.

products

Refer to section 10.

## 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Methods for containment**Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

**Methods for cleaning up** Soak up with inert absorbent material.

Material name: CC643 Series[M] MSDS US

#### Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

# 7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

# 8. Exposure Controls / Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

Personal protective equipment

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

## 9. Physical & Chemical Properties

**Appearance** Liquid. Color Magenta Odor Not available. **Odor threshold** Not available. **Physical state** Liquid

**Form** Not available. 7 - 7.5 Hα **Melting point** Not available. Freezing point Not available. **Boiling point** Not determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not determined Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air, lower, % by volume

Not Determined

Not determined Vapor pressure Not available. Vapor density Specific gravity Not determined Relative density Not available. Solubility (water) Soluble in water Not Determined **Auto-ignition temperature Decomposition temperature** Not available. VOC < 315 g/l

## 10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

# 11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Material name: CC643 Series[M] MSDS US 12. Ecological Information

**Ecotoxicity** This product has not been tested for ecological effects.

**Aquatic toxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

EC50/72h/algae => 100

EC50/48h/daphnia =>100

Persistence and degradability Not available.

13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

14. Transport Information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

# 15. Regulatory Information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

**DEA Exempt Chemical Mixtures Code Number** 

Not regulated.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA (Superfund) reportable quantity** 

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 Nο

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely No

hazardous substance

Section 311 hazardous

No

chemical

State regulations

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

**US. Pennsylvania RTK - Hazardous Substances** 

Not regulated.

Material name: CC643 Series[M] MSDS US

## **US. Rhode Island RTK**

Not regulated.

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments). VOC content (less water, less exempt compounds) = < 833 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

## 16. Other Information

**Other information** This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29)

CFR 1910.1200).

**HMIS® ratings** Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 28-Jan-2013

This data sheet contains changes from the previous version in section(s):

Ecological Information: Ecotoxicity

12. Ecological Information: Aquatic toxicity 15. Regulatory Information: Other information

Manufacturer information

Hewlett-Packard Company 3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CC643 Series[M] MSDS US

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CC643 Series[M] MSDS US