

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

| Identification of the preparation | HP Color LaserJet CE264X-XC Black Print Cartridge | | | |
|--------------------------------------|---|--|--|--|
| Product use | This product is a black toner preparation that is used in HP Color LaserJet CM4540 MFP series printers. | | | |
| Version # | 01 | | | |
| Revision date | 14-Apr-2012 | | | |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com | | | |

2. Hazards Identification

| Acute health effect | ts | | | |
|---------------------|--------------|---|--|--|
| Skin conta | ct | Unlikely to cause skin irritation. | | |
| Eye contac | t | May cause transient slight irritation | | |
| Inhalation | | Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use of this product as intended does not result in inhalation of excessive amounts of dust. | | |
| Ingestion | | Low acute toxicity. Ingestion is a minor route of entry for intended use of this product. | | |
| Potential health ef | fects | | | |
| Routes of e | exposure | Potential routes of exposure under normal use conditions are skin, eye contact and inhalation. | | |
| | | Ingestion is not expected to be a primary route of exposure for this product under normal use conditions. | | |
| Chronic he | alth effects | Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust. | | |
| Carcinoger | nicity | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. | | |
| | | Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower. | | |
| Other informat | tion | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. | | |
| | | This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006. | | |

3. Composition / Information on Ingredients

| Components | CAS # | Percent |
|----------------------------|--------------|---------|
| Styrene acrylate copolymer | Trade Secret | < 85 |
| Carbon black | 1333-86-4 | < 10 |

| Wax | Trade Secret | < 10 | |
|------------------|--------------|------|--|
| Amorphous silica | 7631-86-9 | < 3 | |
| Titanium dioxide | 13463-67-7 | < 1 | |

4. First Aid Measures

| First aid procedures | | | |
|---|---|--|--|
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. | | |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. | | |
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. | | |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. | | |
| 5. Fire Fighting Measures | 5 | | |
| Flammable properties | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. | | |
| Extinguishing media | | | |
| Suitable extinguishing media | CO2, water, or dry chemical | | |
| Unsuitable extinguishing media | None known. | | |
| Protection of firefighters | | | |
| Protective equipment and precautions for firefighters | If fire occurs in the printer, treat as an electrical fire. | | |
| Specific methods | None established. | | |
| Hazardous combustion products | Carbon monoxide and carbon dioxide. | | |
| 6. Accidental Release Me | asures | | |
| Personal precautions | Minimize dust generation and accumulation. | | |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. | | |
| Other information | Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. | | |
| 7. Handling and Storage | | | |
| Handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. | | |
| Storage | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. | | |

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

| Components | Туре | Value | Form |
|-------------------------------|------|---------------|---------------------|
| Carbon black (1333-86-4) | TWA | 3.0000 mg/m3 | Inhalable fraction. |
| Titanium dioxide (13463-67-7) | TWA | 10.0000 mg/m3 | |

| U.S OSHA | | | | |
|---|---|------------------------------|-----------------------------|--------------------------|
| Components | | Туре | Value | Form |
| Titanium dioxide (13463-67-7 | ") | PEL | 15.0000 mg/m3 | Total dust. |
| U.S Tennessee | | | | |
| Components | | Туре | Value | Form |
| Carbon black (1333-86-4) | | TWA | 3.5000 mg/m3 | |
| Titanium dioxide (13463-67-7 |) | TWA | 10.0000 mg/m3 | Total dust. |
| Exposure guidelines | usa osha (twa, | /PEL): 15 mg/m3 (Total [| Dust), 5 mg/m3 (Respirable | Fraction) |
| | ACGIH (TWA/TLV | '): 10 mg/m3 (Inhalable I | Particulate), 3 mg/m3 (Resp | irable Particulate) |
| | Amorphous silica: mg/m3 | USA OSHA (TWA/PEL): | 20 mppcf 80 (mg/m3)/%S | iO2, ACGIH (TWA/TLV): 10 |
| Engineering controls | Use in a well vent | tilated area. | | |
| Personal protective equipmen | t | | | |
| General | No personal respi | ratory protective equipment | ent required under normal o | onditions of use. |
| 9. Physical & Chemical P | roperties | | | |
| Appearance | Fine powder | | | |
| Color | Black. | | | |
| Odor | Slight plastic odo | r | | |
| Odor threshold | Not available. | | | |
| Physical state | Solid | | | |
| Form | solid | | | |
| рН | Not applicable | | | |
| Melting point | Not available. | | | |
| Freezing point | Not available. | | | |
| Boiling point | Not applicable | | | |
| Flash point | Not applicable | | | |
| Evaporation rate | Not applicable | | | |
| Flammability limits in air, upper, % by volume | Not available. | | | |
| Flammability limits in air, lower, % by volume | Not flammable | | | |
| Vapor pressure | Not applicable | | | |
| Vapor density | Not available. | | | |
| Specific gravity | 1 - 1.2 (H2O = 1 | .) | | |
| Relative density | Not available. | | | |
| Solubility (water) | Negligible in wate | er. Partially soluble in tol | uene and xylene. | |
| Auto-ignition temperature | Not applicable | | | |
| Decomposition temperature | Not available. | | | |
| Softening point | 176 - 266 °F (80 | - 130 °C) | | |
| Viscosity | Not applicable | | | |
| Percent volatile | 0 % estimated | | | |
| VOC | Not available. | | | |
| Other information | Decomposition te | mperature: > 200 ° C | | |
| 10. Chemical Stability & | Reactivity Inf | ormation | | |
| Chemical stability | Stable under norr | nal storage conditions. | | |
| | The second se | and the Parlah | | |

Imaging Drum: Exposure to light

Conditions to avoid

| Incompatible materials | Strong oxidizers | | | |
|---|--|---|--|--|
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. | | | |
| Possibility of hazardous reactions | Will not occur. | | | |
| 11. Toxicological Inforr | nation | | | |
| Oral toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC. | | | |
| Carcinogenicity | 2B) and by the St both organization remains bound w | Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. | | |
| | carcinogenic to he dioxide particles i | Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower. | | |
| | None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. | | | |
| ACGIH Carcinogens | | | | |
| Carbon black (CAS 1333-86-4) | | A3 Confirmed animal carcinogen with unknown relevance to humans. | | |
| Titanium dioxide (CAS : IARC Monographs. Overa | | A4 Not classifiable as a human carcinogen. ogenicity | | |
| Amorphous silica (CAS Carbon black (CAS 133 Titanium dioxide (CAS 1 IARC Monographs: Evide | 3-86-4) 13463-67-7) | 3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans. 2B Possibly carcinogenic to humans. in humans | | |
| Carbon black (CAS 133) Titanium dioxide (CAS | 3-86-4) | Inadequate data. Inadequate data. | | |
| Inhalation toxicity | Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and 1999/45/EC. | | | |
| Serious eye damage/eye irritation | Not classified as irritar Directive 67/548/EEC | nt, according to OSHA Hazard Communication Standard (HCS) and EU and as amended. | | |
| Chronic toxicity | No information availab | ble. | | |
| Sensitization | Not classified as a sen HCS (US). | sitizer according to EU Directive 67/548/EEC and as amended, and OSHA | | |
| Mutagenicity | Negative, does not inc | licate mutagenic potential (Ames Test: Salmonella typhimurium) | | |
| Reproductivity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 6 and DFG (Germany). | | | |
| Symptoms and target organs Target Organs (NIOSH) | 5 | | | |
| Amorphous silica (CAS | 7631-86-9) | Eyes Respiratory system | | |
| Carbon black (CAS 1333-86-4) | | Eyes Respiratory system | | |
| Titanium dioxide (CAS | 13463-67-7) | Respiratory system | | |
| Further information | | are not available for this specific formulation potential health effects and Section 4 for first aid measures. | | |
| 12. Ecological Informat | ion | | | |
| Ecotoxicity | LC50: > 100 mg/l, Fis | | | |
| Dersistence and degradabilit | | | | |

| 13. Disposal Considerati | ions | | |
|--|---|--|--|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state and local regulations. | | |
| | HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle. | | |
| 14. Transport Informati | on | | |
| Further information | Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. | | |
| 15. Regulatory Informat | tion | | |
| US federal regulations | US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA. | | |
| CERCLA (Superfund) reportat | ble quantity | | |
| Occupational Safety and Heal | th Administration (OSHA) | | |
| 29 CFR 1910.1200 hazardous chemical | No | | |
| • | Reauthorization Act of 1986 (SARA) | | |
| Hazard categories | Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No | | |
| Section 302 extremely hazardous substance | No | | |
| Section 311 hazardous chemical | No | | |
| State regulations US - Pennsylvania RTK - H Titanium dioxide (CAS 1: | Hazardous Substances: Listed substance 3463-67-7) Listed. | | |
| Regulatory information | | | |
| | All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. | | |
| 16. Other Information | | | |
| Other information | This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200). | | |
| HMIS® ratings | Health: 1 Flammability: 1 Physical hazard: 0 | | |
| NFPA ratings | Health: 1 Flammability: 1 Instability: 0 | | |
| Disclaimer | This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparatio of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. | | |
| | 14.4. 2012 | | |
| Issue date | 14-Apr-2012 | | |

Explanation of abbreviations

| ACGIH | American Conference of Governmental Industrial Hygienists |
|--------|---|
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | |
| •••• | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |
| | |